

LED Dome Lights

Introducing a customized innovation to an old problem LED DOME LIGHTS, Compact and Easy to install elegant replacement for traditional full round Dome Lights, Creates a perfect fusion between bright and dark spots for ambience of any environment


Product Features


- 80% Electricity savings as compared totraditional Incandescent Bulbs
- 20,000 hours Lifespan
- Non – Flickering
- No UV Radiation
- Easy Installation
- Premium Quality LED Chip
- Premium Quality Power Driver
- Instant start 0-100% in 0.01 seconds
- Extreme Weather toleration (-20 to + 45 Degrees Centigrade)




Applications

- Mostly used in Parking Lots, Passage's in big areas, Exterior Walls of Prestigious Buildings for ambience, Airports, Ports and Malls








LED Oval Dome Light

8W VT-8038


	EAN Code
1308 3000k Warm White	3800157620260
1309 4000K Day White	3800157620277
1310 6400k White	3800157620284

A+

EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**PC**
Luminous Flux:	**560lm**	Shape:	**Rectangle**
LED Type:	**SMD**	IP Rating:	**IP54**
CRI:	**>70**	Color of Fixture	**Black**
PF:	**> 0.5**	Dimension:	**190 x 100 x 45 48mm**







LED Oval Dome Light


8W VT-8038

	EAN Code
1311 3000k Warm White	3800157620291
1312 4000K Day White	3800157620307
1313 6400k White	3800157620314

A+

EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**PC**
Luminous Flux:	**560lm**	Shape:	**Rectangle**
LED Type:	**SMD**	IP Rating:	**IP54**
CRI:	**>70**	Color of Fixture	**White**
PF:	**> 0.5**	Dimension:	**190 x 100 x 45 48mm**





LED Dome Light

15W VT-8033

5566 4000K Day White

EAN Code
3800157610353


A+

EQ. Watts:	**95W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**PC**
Luminous Flux:	**1250lm**	Shape:	**Round**
LED Type:	**SMD**	IP Rating:	**IP44**
CRI:	**>80**	Dimension:	**Ø 220mm x 48mm**
PF:	**> 0.6**		

EASY TO USE
PLUG AND PLAY

Luxurious Finish
SURFACE MOUNTED

TRIMLESS





LED Dome Light

15W VT-8033


5567 4000K Day White

EAN Code
3800157610360

A+

EQ. Watts:	**95W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**PC**
Luminous Flux:	**1250lm**	Shape:	**Square**
LED Type:	**SMD**	IP Rating:	**IP44**
CRI:	**>80**	Dimension:	**220 x 220 x 48mm**
PF:	**> 0.6**		





Led Dome Light

12W VT-8031


5563 4000K Day White
5562 6500K White

EAN Code
3800157610322
3800157610315

A+

EQ. Watts:	**65W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**Metal + PMMA**
Luminous Flux:	**800lm**	Shape:	**Round**
LED Type:	**SMD**	IP Rating:	**IP20**
CRI:	**>80**	Dimension:	**Ø 250 x 80mm**
PF:	**> 0.6**		

MAXIMUM LIGHT OUTPUT AND
ENERGY EFFICIENT





Led Dome Light

24W VT-8032

5565 4000K Day White
5564 6500K White


EAN Code
3800157610339
3800157610346

A+

EQ. Watts:	**125W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 220-240V, 50Hz**	Body Type:	**Metal + PMMA**
Luminous Flux:	**1700lm**	Shape:	**Round**
LED Type:	**SMD**	IP Rating:	**IP20**
CRI:	**>80**	Dimension:	**Ø 320 x 95mm**
PF:	**> 0.6**		



SENSOR INSIDE



IP65 RATED

Led Dome Light

12W VT-8008

4984 4500K Day White
4985 6000K White

EAN Code
3800157601290
3800157601306

A

Sensor Type:	**Microwave**	Detection Distance:	***10%/50%/100%**
Color:	**White**	Time Delay:	**10s/1min/5min/10min/30min**
Detection Range:	**Max.(0 x H): 10m x 4m, 360°**	Luminous Flux:	**840lm**
Voltage:	**AC: 200-240V,50/60Hz**	Body Type:	**ABS+Plastic+PMMA**
Rated Load:	**12W**	IP Rating:	**IP65**
EQ. Watts:	**60W**	Dimension:	**Ø300 x 100mm**

Without **Sensor**

IP65 RATED


Led Dome Light

12W VT-8007

4983 4500K Day White

EAN Code
3800157601283

A



EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-240V, 50/60Hz**	Color of Fixture:	**White**
Luminous Flux:	**840lm**	Body Type:	**ABS+Plastic+PMMA**
IP Rating:	**IP65**	Shape:	**Full Round**
CRI:	**>70**	Dimension:	**Ø300 x 100mm**
PF:	**>0.9**		

CE/EMC 2 YEAR WARRANTY




SENSOR INSIDE



IP65 RATED

Led Dome Light



12W VT-8008

	EAN Code
4981 3000K Warm White	3800230629586
4971 4500K Day White	3800230629036
4980 6000K White	3800230629579

A


Sensor Type:	**Microwave**	Detection Distance:	***10%/50%/100%**
Color:	**Black**	Time Delay:	***10s/1min/5min/10min/30min**
Detection Range:	**Max.(0 x H): 10m x 4m, 360°**	Luminous Flux:	**840lm**
Voltage:	**AC: 200-240V,50/60Hz**	Body Type:	**ABS+Plastic+PMMA**
Rated Load:	**12W**	IP Rating:	**IP65**
EQ. Watts:	**60W**	Dimension:	**Ø300 x 100mm**



IP65 RATED

Without Sensor

Led Dome Light



12W VT-8007

	EAN Code
4970 4500K Day White	3800230629029

A

EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-240V,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**ABS+Plastic+PMMA**
IP Rating:	**IP65**	Shape:	**Full Round**
CRI:	**>70**	Dimension:	**Ø300 x 100mm**
PF:	**>0.9**		

CE/EMC 2 YEAR WARRANTY



Built In LED

IP54 RATED


Led Dome Light

16W VT-8001C

EAN Code

1281 3000K Warm White	3800157612678
4965 4500K Day White	3800230625809
1282 6000K White	3800157612685

A+



Sensor Type:	**Microwave**	Detection Distance:	***1-8m (radius)**
Color:	**White**	Time Delay:	***10 sec to 12 min**
Detection Range:	**360°**	Luminous Flux:	**1300lm**
Voltage:	**AC: 220-240V,50Hz**	Body Type:	**PC Cover**
Rated Load:	**16W**	IP Rating:	**IP54**
EQ. Watts:	**100W**	Dimension:	**Ø296 x 96mm**




Led Dome Light

Max.60W VT-8002C

EAN Code

4966	3800230625816



Sensor Type:	**Microwave**	Detection Distance:	***1-8m (radius)**
Color:	**White**	Time Delay:	***10 sec to 12 min**
Detection Range:	**360°**	Body Type:	**ABS+Plastic+PMMA**
Voltage:	**AC: 220-240V,50Hz**	IP Rating:	**IP44**
Rated Load:	**Uses Max. 60W(E27)**	Dimension:	**Ø296 x 96mm**
EQ. Watts:	**As per E27 bulb**		

*Can be customiz

RoHS COMPLIANT

CE/EMC

2 YEAR WARRANTY




Led Dome Light

12W VT-8017

	EAN Code
5057 3000K Warm White	3800157605250
5058 4500K Day White	3800157605267
5059 6000K White	3800157605274

A+



Sensor Type	**PIR Sensor**
Color	**White**
Detection Range	**360°**
Voltage	**AC: 110-240V, 50Hz**
Rated Load	**12W (24PCS LED)**
EQ. Watts	**60W**
Detection Distance	**max.6m(<24'C)**
Time Delay	***10 sec to 3 min**
Luminous Flux	**800lm**
Body Type	**ABS+Plastic+PMMA**
IP Rating	**IP20**
Dimension	**Φ290 x 60mm**

MOTION PIR SENSOR

CE/EMC 2 YEAR WARRANTY



Led Dome Light

8W VT-8014


1267 3000K Warm White
1266 4500K Day White
1268 6000K White

IP65 RATED

EAN Code

3800157611893
3800157611886
3800157611909

A+



EQ. Watts:	**20W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**Black**
Luminous Flux:	**560lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Full Oval**
CRI:	**>70**	Dimension:	**126 x 187 x 76mm**
PF:	**>0.5**		



IP65 RATED

Led Dome Light


12W VT-8016

5056 4500K Day White
5055 6000K White

EAN Code

3800157603980
3800157603348

A



EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Full Oval**
CRI:	**>70**	Dimension:	**245 x 165 x 96mm**
PF:	**>0.5**		



Led Dome Light

8W VT-8014


1264 3000K Warm White
1263 4500K Day White
1265 6000K White

IP65 RATED

EAN Code

3800157611862
3800157611855
3800157611879


A+



EQ. Watts:	**20W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**White**
Luminous Flux:	**560lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Full Oval**
CRI:	**>70**	Dimension:	**126 x 187 x 76mm**
PF:	**>0.5**		



IP65 RATED



Led Dome Light

12W VT-8016

5054 4500K Day White
5053 6000K White

EAN Code

3800157603331
3800157603324

A

EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**White**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Full Oval**
CRI:	**>70**	Dimension:	**245 x 165 x 96mm**
PF:	**>0.5**		



Led Dome Light

12W VT-8009


4972 4500K Day White

IP65 RATED

EAN Code

3800230629043

A



EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-24OV,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Half-Oval**
CRI:	**>70**	Dimension:	**290 x 200 x 100mm**
PF:	**>0.9**		



Led Dome Light

12W VT-8010


4973 4500K Day White
1269 6000K White

IP65 RATED

EAN Code

3800230629050
3800157611916

A



EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-24OV,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Full Oval**
CRI:	**>70**	Dimension:	**290 x 200 x 100mm**
PF:	**>0.9**		

RoHS COMPLIANT CE/EMC 2 YEAR WARRANTY



IP65 RATED


Led Dome Light

8W VT-8014

4999 3000K Warm White	3800157602556
1259 4500K Day White	3800157611817
4997 6000K White	3800157602259

EAN Code

A+



EQ. Watts:	**20W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**White**
Luminous Flux:	**560lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Round**
CRI:	**>70**	Dimension:	**Ø180 x 82mm**
PF:	**>0.5**		



IP65 RATED


Led Dome Light

12W VT-8015

4998 3000K Warm White	3800157602549
5050 4500K Day White	3800157603294
4996 6000K White	3800157602228

EAN Code

A



EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**White**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Round**
CRI:	**>70**	Dimension:	**Ø220 x 105mm**
PF:	**>0.5**		



IP65 RATED


Led Dome Light

8W VT-8014

1261 3000K Warm White
1260 4500K Day White
1262 6000K White

EAN Code
3800157611831
3800157611824
3800157611848

A+



EQ. Watts:	**20W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**Black**
Luminous Flux:	**560lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Round**
CRI:	**>70**	Dimension:	**Ø180 x 82mm**
PF:	**>0.5**		



IP65 RATED


Led Dome Light

12W VT-8015

5052 4500K Day White
5051 6000K White

EAN Code
3800157603317
3800157603300

A



EQ. Watts:	**40W**	Beam Angle:	**120°**
Voltage/Frequency:	**AC: 200-240V, 50Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Round**
CRI:	**>70**	Dimension:	**Ø220 x 105mm**
PF:	**>0.5**		

RoHS COMPLIANT
CE/EMC
2 YEAR WARRANTY



Led Dome Light

12W VT-8006


4969 4500K Day White

IP65 RATED

EAN Code

3800230629012

A



EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-24OV,50/60Hz**	Color of Fixture:	**Black**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Half-Round**
CRI:	**>70**	Dimension:	**Ø300 x 100mm**
PF:	**>0.9**		



Led Dome Light

12W VT-8006


4986 4500K Day White

IP65 RATED

EAN Code

3800157601313

A



EQ. Watts:	**40W**	Beam Angle:	**110°**
Voltage/Frequency:	**AC: 200-24OV,50/60Hz**	Color of Fixture:	**White**
Luminous Flux:	**840lm**	Body Type:	**Plastic Clad Aluminum**
IP Rating:	**IP65**	Shape:	**Half-Round**
CRI:	**>70**	Dimension:	**Ø300 x 100mm**
PF:	**>0.9**		