



MVF616 Decoflood

MVF616 C New Decoflood

A medium-sized, high-grade floodlight with a choice of light distributions from a variety of lamps. It is well suited to city environments. Its all-weather construction is designed for simple cleaning and speedy servicing.

Features

- High-quality anodized aluminium reflectors to throw a medium or wide beam
- Protractor scale for easy aiming. 'Memory ring' for immediate aiming if the floodlight should be swivelled off beam
- Suitable for mounting on horizontal surfaces, walls and ceilings, and for pole mounting using suitable brackets
- Fast access to lamp and terminal blocks through front with snapaction clip
- 220V/50 Hz integral gear

Application


- Parks
- Architectural structures
- Sculptures
- Industrial areas

PHILIPS

Related products



Dimensional drawing



MVF616 CSON-T100W K 220V-50Hz MB

General information

Order code	Product family code	Number of light sources	Lamp family code	Lamp power	Gear	Optic type
910401635880	MVF616	1	SON-T	100 W	SGR	MB
910401636080	MVF616	1	SON-T	100 W	SGR	WB
910401636280	MVF616	1	SON-T	150 W	SGR	MB
910401636380	MVF616	1	MHN-TD	150 W	CONV	MB
910401636480	MVF616	1	SON-T	150 W	SGR	WB
910401636580	MVF616	1	MHN-TD	150 W	CONV	WB
910401636880	MVF616	1	MHN-TD	70 W	CONV	MB
910401636980	MVF616	1	SON-T	70 W	SGR	MB
910401637080	MVF616	1	MHN-TD	70 W	CONV	WB
910401637180	MVF616	1	SON-T	70 W	SGR	WB



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, October 14
data subject to change